

Patent Search - Number: 6,055,732

No cases found.

[Return to Search](#)

(Charges for search still apply)

[Pricing](#) [Privacy](#) [Master Services Agreement](#)

[Copyright ©](#) 2006 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

167145 (09) 6055732 May 2, 2000

UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT

6055732

♦ [GET 1st DRAWING SHEET OF 20](#)

[Access PDF of Official Patent *](#)

[Check for Patent Family Report PDF availability *](#)

* Note: A transactional charge will be incurred for downloading an Official Patent or Patent Family Report. Your acceptance of this charge occurs in a later step in your session. The transactional charge for downloading is outside of customer subscriptions; it is not included in any flat rate packages.

[Order Patent File History / Wrapper from REEDFAX®](#)

[Link to Claims Section](#)

May 2, 2000

Pipe cutter

REISSUE: January 18, 2001 - Reissue Application filed Ex. Gp.: 3724; Re. S.N. 09/771,243 (O.G. September 16, 2003)

APPL-NO: 167145 (09)

FILED-DATE: October 6, 1998

GRANTED-DATE: May 2, 2000

LEGAL-REP: Baxley, Esq., Charles E

Selected file: PLUSPAT
PLUSPAT - (c) Questel-Orbit, All Rights Reserved.
Comprehensive Worldwide Patents database

**** SS 1: Results 1**
PRT SS 1 MAX 1 LEGALALL

1 / 1 PLUSPAT - @QUESTEL-ORBIT - image

Patent Number :

US6055732 A 20000502 [US6055732]

Title :

(A) Pipe cutter

Inventor(s) :

(A) HU BOBBY (TW)

Application Nbr :

US16714598 19981006 [1998US-0167145]

Priority Details :

US16714598 19981006 [1998US-0167145]

Intl Patent Class :

(A) B23D-021/08

IPC Advanced All :

B23D-021/08 [2006-01 A - I R M EP]

IPC Core All :

B23D-021/00 [2006 C - I R M EP]

EPO ECLA Class :

B23D-021/08

US Patent Class :

ORIGINAL (O) : 030102000; CROSS-REFERENCE (X) : 030094000

Document Type :

Corresponding document

Citations :

US-565267; US-812210; US1841251; US2283572; US2875518; US2988814;
US5414932; FR405860

Publication Stage :

(A) United States patent

Abstract :

A pipe cutter includes a body having two side walls and each of the side walls has an arcuate slot. A rod pivotally extends through the first end of the body and a first contacting member is rotatably connected to the second end of the body. A first link has a first end thereof pivotally connected to the body and a second end thereof having a disk blade rotatably connected thereto. The rod is pivotally connected to the first link to which a second link is pivotally connected, the other end of the second link has a second contacting member rotatably connected thereto. The second contacting member has two protrusions extending centrally and longitudinally therefrom so as to move within the two arcuate slots.

Update Code :

2000-17

1 / 1 LGST - @EPO

Patent Number :

US6055732 A 20000502 [US6055732]

Application Number :

US16714598 19981006 [1998US-0167145]

Action Taken :

20030916 US/RF-A
REISSUE APPLICATION FILED
EFFECTIVE DATE: 20010118

Update Code :

2003-41

1 / 1 CRXX - ©CLAIMS/RRX

Patent Number :

6,055,732 A 20000502 [US6055732]

Patent Assignee :

Hu, Bobby TW

Actions :

20030118 REISSUE REQUESTED

ISSUE DATE OF O.G.: 20030916

REISSUE REQUEST NUMBER: 09/771243

EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 3724

Reissue Patent Number:

Session finished: 24 APR 2006 Time 19:22:25

QUESTEL.ORBIT thanks you. Hope to hear from you again soon.